

TURCHI

300-F

PILE DRIVER



✓ UP TO 6M OR 19'8"

POST HEIGHT

✓ QUALITY MACHINE

✓ PERFORMANCE

✓ SAFETY

✓ PRODUCTIVITY

✓ COMPACT

✓ POWERFUL

✓ VERSATILE

✓ RELIABLE

✓ EASY MAINTENANCE

✓ OPERATOR TRAINING

✓ TECH SUPPORT

✓ MECHANICAL TRAINING

✓ SPARE PARTS WAREHOUSES

ITALY

USA

AUSTRALIA



grupoinl.com
info@grupoinl.com

Product Manager
Jose Miguel Camaño
+56 9 79893148 / +56 2 29045412



SPECIFICATIONS

Hammer



Brand	Indeco	
Joule Options	950 / 1200	
Blows	n/min	620-1500 / 570-1180
Hammer Weight	Kg	440 / 550
	Lb	970 / 1213
Noise Rating	DbA	xx/114

Machine Travel Speed

Low Speed	km/h	1.92
	miles/h	1.2
High Speed	km/h	3.33
	miles/h	2.1

Maximum Post Size

Height Options	Meter	4.4 / 5 / 6
	Foot	14'5" / 16'4" / 19'8"
Side	mm	220/220
	Inches	9"/9"

Machine Dimensions

Height	mm/inches	2,900 / 114
Width	mm/inches	2,350 / 93
Length	mm/inches	2,088 / 80
Weight	kg/lb	4,750 / 10,472

Engine Option 1



Make	Yanmar
Model	4TNV88
KW	35.4
HP	48.1
EPA Certification	Tier 4i [EU Stage IIIB]

Engine Option 2



Make	Hatz
Model	4H50TIC
KW	37.1
HP	50.4
EPA Certification	Tier 4 [Final] [EU Stage IIIB]

Hydraulic System



Oil Tank Size	litres	140
	US gallons	37
Oil Pressure	Bar	200
Fuel Tank Size	litres	60
	US gallons	16

Inclination Capabilities

Column Inclination	degrees	+10 to -51
Lateral Inclination	degrees	+10 to -10

TRANSPORT DIMENSIONS



KEY

A	2,350mm	93"	C	3,030mm	120"	E	3,780mm	149"
B	2,900mm	114"	D	2,310mm	91"	F	2,088mm	82"




grupoinl.com
info@grupoinl.com

Product Manager
Jose Miguel Camaño
+56 9 79893148 / +56 2 29045412



Representante
América Latina

THE BEST QUALITY AND PERFORMANCE



grupoinl.com
info@grupoinl.com

Product Manager
Jose Miguel Camaño
+56 9 79893148 / +56 2 29045412

